

Report Test

To protect the privacy of customers or suppliers of Salamander Jewelry.
We erased their address from this document.

LOT No : 0261/2021

Date : 17 July 2021

Determination of Sterilization Operation Specification

Item Detail	Specification	Setting	Result
Chamber Setting Temperature	40.0-55.5 °C	45.0 °C	
Vacuum pressure	40-60 kPa	60 kPa	
Vacuum Time	50-60 min	60 min	
Humidification			
Humidity	50.0-90.0%	20.2 %	
Sterilization			
Sterilization Temperature	40.0-55.5 °C	43.5 °C	
Gas Injection			
Final pressure	0-10 kPa	4 kPa	
Final temperature of vaporizer	40.0-55.5 °C	44.8 °C	
Exposure			
Temperature at start point of Exposure time period	40.0-55.5 °C	43.3 °C	
Temperature at finish point of Exposure time period	40.0-55.5 °C	46.0 °C	
Exposure Time	120-240 min	180 min	
Exhaust			
Exhaust Time	60-80 min	75 min	
First Vacuum pressure	0-2 kPa	1.5 kPa	
Second Vacuum pressure	0-2 kPa	1.5 kPa	
Third Vacuum pressure	0-2 kPa	1.5 kPa	
Fourth Vacuum pressure	0-2 kPa	1.5 kPa	
Fifth Vacuum pressure	0-2 kPa	1.5 kPa	
Storage			
Storage Time	≥ 48 hour	≥ 48 hour	
Chemical Test			
EO sterilization temperature 40-55°C, Time Sterilization by EO 3hours	Blue	Red	Pass
Biological Test			
EZ Test Biological Indicator	Green	Green	Pass

(.....*Jutha Liam*.....)
Mr. Jutha Liammukda
Research and Development Engineer
Salamander Jewelry Co., Ltd.



SALAMANDER
jewelry

Salamander Jewelry Co., Ltd.

128/1 Moo 7, Soi Wat Nakhon Chuenchum, Phutthamonthon Sai 4 Rd.
Tambon Krathumlom, Amphur Sampran, Nakhon Pathom 73220, Thailand.
Tel: 66-2814-4455 | Fax: 66-2-814-3300 | Email: info@body-piercing.com
Website: www.body-piercing.com

<p>END</p> <p>Air replacement: Temperature: 44.9°C Humidity: 58.4RH Pressures: -1.5KPa Sterilization time: 0Hour Air replace rounds: 1 round time: 0min(s) 2021-4-21 16:45</p> <p>Air replacement: Temperature: 44.9°C Humidity: 59.3RH Pressures: -1.5KPa Sterilization time: 0Hour Air replace rounds: 2 round time: 0min(s) 2021-4-21 16:25</p> <p>Air replacement: Temperature: 44.9°C Humidity: 62.4RH Pressures: -1.5KPa Sterilization time: 0Hour Air replace rounds: 3 round time: 0min(s) 2021-4-21 16:4</p> <p>Air replacement: Temperature: 44.9°C Humidity: 66.4RH Pressures: -1.5KPa Sterilization time: 0Hour Air replace rounds: 4 round time: 0min(s) 2021-4-21 15:44</p> <p>Air replacement: Temperature: 46.0°C Humidity: 75.1RH Pressures: -1.5KPa Sterilization time: 0Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 15:24</p> <p>Sterilization: Temperature: 45.6°C Humidity: 80.9RH Pressures: -0.0KPa Sterilization time: 0Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 15:18</p> <p>Sterilization: Temperature: 43.3°C Humidity: 80.0RH Pressures: -0.5KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 12:20</p>	<p>Sterilization: Temperature: 43.7°C Humidity: 80.7RH Pressures: -2.2KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 12:18</p> <p>Add EO gas Temperature: 43.6°C Humidity: 80.0RH Pressures: -4.0KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 12:18</p> <p>Evacuation Temperature: 44.8°C Humidity: 71.4RH Pressures: -0.0KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 12:12</p> <p>Keeping Temp Temperature: 45.1°C Humidity: 20.2RH Pressures: -1.5KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 11:12</p> <p>Keep pressure qualified Temperature: 44.5°C Humidity: 20.2RH Pressures: -59.2KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 11:11</p> <p>Evacuation Temperature: 42.7°C Humidity: 20.2RH Pressures: -3.0KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 10:59</p> <p>Heating-up: Temperature: 23.9°C Humidity: 20.1RH Pressures: -3.0KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 10:34</p> <p>Setting: Temperature: 45.0°C Humidity: 55.0RH Pressures: -60.0KPa Sterilization time: 3Hour Air replace rounds: 5 round time: 15min(s) 2021-4-21 10:33</p>
--	---





SALAMANDER
jewelry

Salamander Jewelry Co., Ltd.

128/1 Moo 7, Soi Wat Nakhon Chuenchum, Phutthamonthon Sai 4 Rd.
Tambon Krathumlom, Amphur Sampran, Nakhon Pathom 73220, Thailand.
Tel: 66-2814-4455 | Fax: 66-2-814-3300 | Email: info@body-piercing.com
Website: www.body-piercing.com

LINE	Code	Description	LOT	Color	BOX	TOTAL
2357986						
5	PT-Z-TBL-1.6-12.0-4	STERILIZED TITANIUM BARBELL FOR PTIT ROC	LOT-0261			148
7	PT-Z-TBL-1.6-34.0-5	STERILIZED TITANIUM BARBELL FOR PTIT ROC	LOT-0261			19
11	PT-Z-TMLB-1.2-10.0-3-HP	STERILE TITANIUM MICRO BARBELL FOR PTIT ROC	LOT-0261			128
12	PT-Z-TMCB-1.2-10.0-3	STERILE TITANIUM MICRO CIRCULAR BARBELL FOR PTIT ROC	LOT-0261			150
14	PT-Z-TMLB-1.2-12.0-3	STERILE TITANIUM MICRO LABRET FOR PTIT ROC	LOT-0261			103
16	PT-Z-TMLB-1.2-9.0-3	STERILE TITANIUM MICRO LABRET FOR PTIT ROC	LOT-0261			223
17	PT-Z-XMLB-1.1.2-10.0-3/4B-CL	STERILE BIOFLEX MICRO LABRET WITH STEEL BALL FOR PTIT ROC	LOT-0261			57
18	PT-Z-XMLB-1.1.2-14.0-3/4B-CL	STERILE BIOFLEX MICRO LABRET WITH STEEL BALL FOR PTIT ROC	LOT-0261			20
2358445						
1	TDI-Z-TMBL-1.2-8.0-3-HP	STERILE TITANIUM MICRO BARBELL FOR TDI	LOT-0261			200
2	TDI-Z-TMCB-1.2-8.0-3	STERILE TITANIUM MICRO CIRCULAR BARBELL FOR TDI	LOT-0261			200
2354862						
11	PT-Z-TMBN-1.2-10.0-3	STERILE TITANIUM MICRO CURVED BARBELL FOR PTIT ROC	LOT-0261			322
21	PT-Z-XJNO2-0.8-6.0-2.35-CL-CR	STERILE BIOFLEX JEWELLED CURVED NOSE STUD FOR PTIT ROC	LOT-0261	CR		99
2358818						
1	Z-GSNEEDLES-1.2-48.0	STERILIZED STAINLESS STEEL NEEDLE	LOT-0261			1014
2	Z-GSNEEDLES-1.6-48.0	STERILIZED STAINLESS STEEL NEEDLE	LOT-0261			720
2358820						
1	TDI-Z-TBC-1.0-10.0-4	STERILE TITANIUM BALL CLOSURE RING FOR TDI	LOT-0261			50
9	TDI-Z-TMLB-1.2-7.0-3	STERILE TITANIUM MICRO LABRET FOR TDI	LOT-0261			400
2356782						
7	PT-Z-TMBN-1.2-10.0-3	STERILE TITANIUM MICRO CURVED BARBELL FOR PTIT ROC	LOT-0261			219
2356717						
2	Z-TMBN-1.2-10.0-3-HP	STERILE TITANIUM MICRO CURVED BARBELL	LOT-0261			50
2358124						
1	Z-PRTA-6.0-70.0	STERILE DISPOSABLE MULTI ANGLED RECEIVING TUBE	LOT-0261			30
2358644						
1	Z-PRTA-6.0-70.0	STERILE DISPOSABLE MULTI ANGLED RECEIVING TUBE	LOT-0261			10
2351819						
43	THD-Z-TJNO-1.0-6.5-1.8-CR	STERILE TITANIUM JEWELLED CURVED NOSE STUD FOR THENDRO	LOT-0261			850
2357959						
1	TDI-Z-TINMLB-1.2-6.0-2	STERILE TITANIUM INTERNALLY THREADED MICRO LABRET FOR TDI	LOT-0261			100
2355851						
3	Z-PNV-CRE	STERILE DISPOSAL ROUND CLAMPS	LOT-0261			250
2358166						
1	Z-MLB-1.2-12.0-3	STERILE SURGICAL STEEL MICRO LABRET	LOT-0261			50
2356635						
2	Z-PRTA-6.0-70.0	STERILE DISPOSABLE MULTI ANGLED RECEIVING TUBE	LOT-0261			14
2352538						
29	PT-Z-TMLB1-1.2-8.0-2.5-CR	STERILE TITANIUM MICRO LABRET WITH JEWELLED BALL FOR PTIT ROC	LOT-0261	CR		359
2358455						
1	Z-XINLBD-1.2-8.0-2.5-CL-CR	STERILE BIOFLEX INTERNAL MICRO LABRET WITH JEWELLED DISC	LOT-0261	CR		50
2355869						
2	QL-Z-ZGMBL-1.2-10.0-3	STERILE ZIRCON GOLD PVD SURGICAL STEEL MICRO BARBELL FOR QUILLIAN NO CARD	LOT-0261			50
2352538						
1	PT-Z-PRTA-8.0-70.0	STERILE DISPOSABLE MULTI ANGLED RECEIVING TUBE FOR PTIT ROC	LOT-0261			114
2356781						
2	TDI-Z-TINBL-1.6-34.0-5	STERILE TITANIUM INTERNALLY THREADED BARBELL FOR TDI	LOT-0261			100
152458						
1	Z-BL-1.6-14.0-5	STERILE SURGICAL STEEL BARBELL	LOT-0261			100
2	Z-BL-1.6-18.0-5	STERILE SURGICAL STEEL BARBELL	LOT-0261			100
3	Z-JNO-1.0-6.5-2.35-CR	STERILE SURGICAL STEEL SWAROVSKI CRYSTAL JEWELLED CURVED NOSE STUD	LOT-0261	CR		300
4	Z-MBL-1.2-8.0-3	STERILE SURGICAL STEEL MICRO BARBELL	LOT-0261			300
6	Z-MCB-1.2-8.0-3	STERILE SURGICAL STEEL MICRO CIRCULAR BARBELL	LOT-0261			200
7	Z-SES1-3-CR	STERILE SURGICAL STEEL ROUND PRONG SET JEWELLED EAR STUDS PAIR	LOT-0261	CR		300
152468						
22	Z-TINBNDJA4-1.6-10.0-5/8-HP-CR	STERILE TITANIUM INTERNALLY THREADED DOUBLE JEWELLED NAVEL BANANA ATTCHMENT TOP - BOTTOM PRONG SET	LOT-0261	CR		2
23	Z-TINBU4-1.6-10.0-5/8-HP-CR	STERILE TITANIUM INTERNALLY THREADED PRONG SET JEWELLED NAVEL BANANA	LOT-0261	CR		2
152313						
86	Z-MBL-1.2-10.0-3	STERILE SURGICAL STEEL MICRO BARBELL	LOT-0261			200
152480						
3	Z-BKSCSH022-1.2-6.0-3-CR	STERILE BLACK PVD COATED SURGICAL STEEL JEWELLED MULTI PURPOSE CLICKER	LOT-0261	CR		1
152459						
1	Z-BL-1.6-16.0-5	STERILE SURGICAL STEEL BARBELL	LOT-0261			90
3	Z-MBN-1.2-10.0-3	STERILE SURGICAL STEEL CURVED MICRO BARBELL	LOT-0261			165
152627						
1	Z-INMLBS1-1.2-4.5-2-CR	STERILE SURGICAL STEEL INTERNALLY THREADED ROUND PRONG SET JEWELLED MICRO LABRET	LOT-0261	CR		10
152624						
4	Z-RNINMB-1.2-3-CR	STERILE RAINBOW PVD COATED SURGICAL STEEL SWAROVSKI CRYSTAL JEWELLED BALL FOR 1.2MM INTERNALLY THRE	LOT-0261	CR		18

152468					
1	Z-BL-2.0-16.0-4	STERILE SURGICAL STEEL BARBELL	LOT-0261		1
2	Z-BL-2.0-19.0-5	STERILE SURGICAL STEEL BARBELL	LOT-0261		1
3	Z-COBC-0.8-10.0	STERILE SURGICAL STEEL SEAMLESS RING	LOT-0261		5
4	Z-COBC-0.8-12.0	STERILE SURGICAL STEEL SEAMLESS RING	LOT-0261		4
5	Z-COBC-0.8-6.0	STERILE SURGICAL STEEL SEAMLESS RING	LOT-0261		4
6	Z-COBC-0.8-8.0	STERILE SURGICAL STEEL SEAMLESS RING	LOT-0261		4
7	Z-MCBL-1.2-12.0-3X12	STERILE SURGICAL STEEL MICRO CIRCULAR BARBELL WITH LONG CONES	LOT-0261		5
8	Z-MLBSC81-1.2-8.0	STERILE SURGICAL STEEL MICRO LABRET WITH ATTACHMENT - CROSS	LOT-0261		3
9	Z-RGCOBC-0.8-10.0	STERILE ROSE GOLD PVD COATED SURGICAL STEEL SEAMLESS RING	LOT-0261		5
10	Z-RGCOBC-0.8-12.0	STERILE ROSE GOLD PVD COATED SURGICAL STEEL SEAMLESS RING	LOT-0261		5
11	Z-RGCOBC-0.8-6.0	STERILE ROSE GOLD PVD COATED SURGICAL STEEL SEAMLESS RING	LOT-0261		5
12	Z-RGCOBC-0.8-8.0	STERILE ROSE GOLD PVD COATED SURGICAL STEEL SEAMLESS RING	LOT-0261		5
13	Z-RGMBL-1.2-12.0-3	STERILE ROSE GOLD PVD COATED SURGICAL STEEL MICRO BARBELL	LOT-0261		4
14	Z-RGMLB-1.2-10.0-2	STERILE ROSE GOLD PVD COATED SURGICAL STEEL MICRO BARBELL	LOT-0261		15
15	Z-SCJN051-90-0.8-6.5-CR	STERILE SURGICAL STEEL 90 DEGREE JEWELLED NOSE STUD - HEART	LOT-0261	CR	3
16	Z-SCJN053-90-0.8-6.5-CR	STERILE SURGICAL STEEL 90 DEGREE JEWELLED NOSE STUD - FLOWER	LOT-0261	CR	2
17	Z-SCJN056-90-0.8-6.5-CR	STERILE SURGICAL STEEL 90 DEGREE JEWELLED NOSE STUD - FLOWER	LOT-0261	CR	3
20	Z-SCSST119-1.2-8.0-CR	STERILE SURGICAL STEEL JEWELLED HINGED SEPTUM CLICKER RING	LOT-0261	CR	2
21	Z-SCSST120-1.2-8.0-CR	STERILE SURGICAL STEEL JEWELLED HINGED SEPTUM CLICKER RING	LOT-0261	CR	2
25	Z-XONR-1.0-7.0-2-BK	STERILE BIOFLEX OPEN NOSE RING	LOT-0261		2
26	Z-ZGBLDJ5-1.6-14.0-5-CR	STERILE ZIRCON GOLD PVD COATED SURGICAL STEEL DOUBLE SIDE SWAROVSKI CRYSTALS JEWELLED NIPPLE BARBELL	LOT-0261	CR	6
28	Z-ZGMBL-1.2-6.0-2	STERILE ZIRCON GOLD PVD COATED SURGICAL STEEL MICRO BARBELL	LOT-0261		4
29	Z-ZGMCB-1.2-12.0-4	STERILE ZIRCON GOLD PVD COATED SURGICAL STEEL MICRO CIRCULAR BARBELL	LOT-0261		5
151217					
1	Z-SCSST131-1.2-8.0	STERILE SURGICAL STEEL HINGED SEPTUM CLICKER RING	LOT-0261		6
2	Z-SCSST136-1.2-8.0-CR	STERILE SURGICAL STEEL JEWELLED HINGED SEPTUM CLICKER RING	LOT-0261	CR	10
152551					
17	Z-ZGSCSH022-1.2-10.0-CR	STERILE ZIRCON GOLD PVD COATED SURGICAL STEEL JEWELLED MULTI PURPOSE CLICKER	LOT-0261	CR	2
18	Z-ZGSCSH022-1.2-11.0-CR	STERILE ZIRCON GOLD PVD COATED SURGICAL STEEL JEWELLED MULTI PURPOSE CLICKER	LOT-0261	CR	1
152288					
50	Z-MBN-1.2-12.0-3	STERILE SURGICAL STEEL CURVED MICRO BARBELL	LOT-0261		31
51	Z-TINDAD-1.6-2.0-4-HP	STERILE TITANIUM INTERNALLY THREADED DERMAL ANCHOR WITH ROUND DISC	LOT-0261		20
152314					
32	Z-CB-1.6-11.2-4	STERILE SURGICAL STEEL CIRCULAR BARBELL	LOT-0261		100
34	Z-MBL-1.2-8.0-3	STERILE SURGICAL STEEL MICRO BARBELL	LOT-0261		500
152289					
28	Z-BC-1.2-10.0-4	STERILE SURGICAL STEEL BCR	LOT-0261		290
152313					
85	Z-CB-1.6-8.0-4	STERILE SURGICAL STEEL CIRCULAR BARBELL	LOT-0261		100
150647					
2	Z-SBNJH-1.6-8.0-4/6-CR	STERILE SURGICAL STEEL SWAROVSKI CRYSTAL JEWELLED MINI NAVEL BANANA WITH HOOP	LOT-0261	CR	20
3	Z-SBNJH-1.6-10.0-4/6-CR	STERILE SURGICAL STEEL SWAROVSKI CRYSTAL JEWELLED MINI NAVEL BANANA WITH HOOP	LOT-0261	CR	20
152545					
5	Z-JBS-1.6-4-AB	STERILE SURGICAL STEEL SIDE THREADED SWAROVSKI CRYSTAL JEWELLED BALL	LOT-0261	AB	6
152289					
34	Z-LB-1.6-10.0-4	STERILE SURGICAL STEEL LABRET	LOT-0261		100
35	Z-MBN-1.2-12.0-3	STERILE SURGICAL STEEL CURVED MICRO BARBELL	LOT-0261		209
150281					
13	Z-MFSC3-1.2-8.0-3-CR	STERILE SURGICAL STEEL JEWELLED 3MM HEART PRONG SET FANCY CURVED MICRO BARBELL	LOT-0261	CR	4
152314					
33	Z-MBL-1.2-12.0-3	STERILE SURGICAL STEEL MICRO BARBELL	LOT-0261		100
150839					
4	Z-IDBLSC184-1.6-38.0-5	STERILE SURGICAL STEEL INDUSTRIAL BARBELL CHARM - INFINITY	LOT-0261		2
5	Z-IDBLSC190-1.6-38.0-5	STERILE SURGICAL STEEL INDUSTRIAL BARBELL CHARM - CHAIN	LOT-0261		2
149998					
12	Z-MSC137-1.2	STERILE SURGICAL STEEL MICRO THREADED SCREW HEAD ATTACHMENT	LOT-0261		20
14	Z-SC315-1.6	STERILE SURGICAL STEEL ATTACHMENT FOR 1.6 MM THREADED PIN - S	LOT-0261		6
151767					
2	Z-BNDJ-1.6-14.0-5/8-CR	STERILE SURGICAL STEEL DOUBLE SWAROVSKI CRYSTALS JEWELLED NAVEL BANANA	LOT-0261	CR	10
TOTAL					9541